



DECLARATION OF PERFORMANCE

The undersigned, representing
Thermory AS (Lõõtsa 1a, Tallinn, Harju County, Estonia)
and the manufacturing plant in Reola, Tartu County, Estonia
hereby declares that the

NATURAL SOLID WOOD ASPEN PANELING

is in conformity with the provisions of the EC Regulation No 305/2011 Construction Product Regulation system of assessment and verification of constancy of performance: System 4 and is in accordance with the requirements of
EN 14915:2013 + A2:2020

„Solid wood paneling and cladding – Characteristics,
evaluation of conformity and marking“
Initial type testing report No.01_THERMORY_EN14915

CHARACTERISTIC	PERFORMANCE DECLARATION
Species	European aspen (<i>Populus tremula</i>)
Intended use	For interior use
Density and range of thickness	430–450 kg/m ³ , 10–15 mm
Reaction to fire	D-s2, d0 (according to standard EN 14915:2013 + A2:2020)
Emission of formaldehyde	E1
Content of pentachlorophenol	NPD
Release of other dangerous substances	NPD
Water vapor permeability	NPD
Thermal resistance	0,12 W/(m K)
Sound absorption	0,1/0,3
Biological durability (according to to EN 350)	Class 5

Simmo Soomets
CEO
Tallinn 02.12.2021

