



# Declaration of Performance

Prestatieverklaring - Leistungserklärung - Déclaration des performances Prestandadeklaration - Ytelseserklæring - Ydeevnedeklaration

DoP No: CE-DOP-2021.02-01

**Product type** - Producttype - Produkttyp - Type de produit - Produkttyp - Produkttype - Produkttype

Power operated sliding gates - Elektrisch aangedreven schuifpoorten - Kraftbetätigten Schiebetoren - Portails coulissants à commande électrique - Eldrivna skjutgrindar - Elektrisk drevne skyveporter - El-betjente skydeporte

**Identification code** - Identificatiecode - Kenncode - Code d'identification - Identifikationskod - Identifikasjonskode - Identifikationskode

Delta21

**Serial number** - Serienummer - Seriennummer - Numéro de type - Serienummer - Serienummer - Serienummer

n/a

**Intended use** - Beoogd gebruik - Vorgesehener Verwendungszweck - Usage prévu - Avsedd användning - Tiltenkt bruk - Tilsigtet brug

Giving safe access for goods and vehicles accompanied or driven by persons in industrial, commercial or residential premises.

Het bieden van een veilige toegang voor goederen en voertuigen begeleid of bestuurd door personen in industriële, commerciële of residentiële ruimten.

Eine sichere Zufahrt für Waren und Fahrzeuge, begleitet oder geführt (gesteuert) von Personen, in industriellen, gewerblichen oder Wohnbereichen zu ermöglichen.

Permettre l'accès des marchandises et des véhicules accompagnés ou conduits par des personnes, en toute sécurité, dans des locaux industriels et commerciaux ou des garages dans les zones d'habitation.

För vilka avsedd användning är att ge säkert tillträde för gods och fordon åtföljda av eller körda av personer på industriområden, kommersiella områden eller bostadsområden.

Gir sikker tilgang for varer og kjøretøy ledsaget eller kjørt av personer i industrielle, kommersielle eller boliglokaler.

Give sikker adgang til varer og køretøjer, der ledsages eller køres af personer i industrielle, kommercielle eller boliglokaler.

**Contact address manufacturer** - Contactgegevens fabrikant - Kontaktanschrift des Herstellers - Adresse de contact du fabricant - Tillverkarens kontaktadress - Tillverkarens kontaktadress - Kontaktadresse fabrikant

Heras B.V. - Hekdam 1 - 5688JE Oirschot - Netherlands

**System of assessment and verification of constancy of performance**

System voor beoordeling en verificatie van de prestatiebestendigheid

System zur Bewertung und Überprüfung der Leistungsbeständigkeit


Système d'évaluation et de vérification de la constance des performances

System för bedömning och fortlöpande kontroll av byggprodukternas prestanda

System for vurdering og verifisering av prestasjonsbestandighet

System til vurdering og kontrol af ydeevnens konstans

System 3 - System 3 - System 3 - Système 3 - System 3 - System 3 - System 3



# Declaration of Performance

Prestatieverklaring - Leistungserklärung - Déclaration des performances Prestandadeklaration - Ytelseserklæring - Ydeevnedeklaration

DoP No: CE-DOP-2021.02-01

**Report number** - Rapportnummer - Reportnummer - Numéro de rapport - Rapportnummer - Rapportnummer - Rapportnummer

23H0561, vdL15005

**Identification number notified body** - Nummer van de controle instantie - Kennnummer der notifizierten Stelle - Numéro d'identification de l'organisme notifié - Det anmälda organets identifikationsnummer Kontrollinstansens nummer - Identifikationsnummer bemyndiget organ

0063 Kiwa


**Harmonised standard** - Geharmoniseerde norm - Harmonisierte Norm - Norme harmonisée - Harmoniserad standard - Harmonisert standard - Harmoniseret standard

EN 13241:2003+A2:2016

| <b>Declared performance</b><br>Aangegeven prestaties<br>Erklärte Leistung<br>Performances déclarées<br>Prestanda som intygas<br>Angitte prestasjoner<br>Deklareret ydeevne | <b>Essential characteristics</b><br>Essentielle kenmerken<br>Wesentliche Merkmale<br>Caractéristiques essentielles<br>Väsentliga egenskaper<br>Grunnleggende kjennetegn<br>Væsentlige egenskaber | <b>Performance</b><br>Prestaties<br>Leistung<br>Performances<br>Prestanda<br>Prestasjoner<br>Ydeevne | <b>Requirements</b><br>Eisen<br>Anforderungen<br>Exigences<br>Krav<br>Krav<br>Krav |
|--|--|--|--|
|  | Watertightness   | NPD  | 4.4.1  |
|  | Release of dangerous substances  | NPD  | 4.2.9  |
|  | Resistance to wind load  | class 3  | 4.4.3  |
|  | Thermal resistance (where relevant)  | NPD  | 4.4.5  |
|  | Air permeability   | NPD  | 4.4.6  |
|  | Safe opening (for vertically moving doors)   | NPD  | 4.2.8  |
|  | Definition of geometry of glass  | NPD  | 4.2.5  |
|  | Mechanical resistance and stability  | PASS   | 4.2.3  |
|  | Operating forces (for power operated doors)  | PASS   | 4.3.3  |
|  | Durability of watertightness, thermal resistance and air permeability against degradation  | NPD  | 4.4.7  |

**Signed by**  
Ondertekend door  
Unterzeichnet von  
Signé par  
Undertecknad av  
Undertegnet av  
Underskrevet af

Emmanuel Rigaux  
Chief Executive Officer  
Oirschot  
01-11-2023



# Declaration of Performance

Prestatieverklaring - Leistungserklärung - Déclaration des performances Prestandadeklaration - Ytelseserklæring - Ydeevnedeklaration

DoP No: CE-DOP-2021.02-01

**Assessed products** - Beoordeelde producten - Bewertete Produkte - Produits évalués - Produkter som bedömts - Vurderes produkter - Vurderede produkter

## Delta21

|                         |  |  |
|-------------------------|--|--|
| Description             | Type:<br>Style:<br>Opening x Height:<br>(single version)             | Single, double<br>Heracles, Atlas, Grence, Olympus, Pegasus<br>≤9,5m x ≤2,3m (Heracles / Atlas / Olympus)<br>≤8,5m x ≤2,5m (Heracles / Atlas / Olympus)<br>≤9,5m x ≤1,8m (Pegasus)<br>≤8,5m x ≤2m (Pegasus)<br>≤7m x ≤2,5m (Pegasus) |
| Drive and Safety Device | Version:<br>Speed [m/s]:<br>Drive + Control unit:<br>Safety edges:   | UT<br>0,16<br>100/SLX1524SB (Heras version)<br>ASO 35.55CT   |
|                         | Version:<br>Speed [m/s]:<br>Control unit:<br>Drive:<br>Safety edges: | Basic<br>0,2<br>HMD24<br>HMD Basic<br>ASO 35.55CT  |
|                         | Version:<br>Speed [m/s]:<br>Control unit:<br>Drive:<br>Safety edges: | Standard<br>0,25<br>HMDNG230, HMD230<br>HMDNGLP230S, HMDLP230S<br>ASO 35.55CT  |
|                         | Version:<br>Speed [m/s]:<br>Control unit:<br>Drive:<br>Safety edges: | Advanced<br>0,5<br>HMDNG230, HMD230<br>HMDNGLP230A, HMDLP230A<br>ASO 35.85CT   |